GLASS ROOFS | FreeStanding



GLASS ROOF | FreeStanding

Contents

- 4 Introduction
- 5 Gallery
- 10 Retracting Options
- 12 Sizes & Specifications

GLASS ROOFS | FreeStanding

FreeStanding retractable systems bring the flexibility of a new all year round indoor/outdoor living experience to virtually any alfresco space.

Ideal for restaurants, cafés, hotels, pubs, bars, offices, schools, carehomes, residential homes and other premises, applications are virtually endless, whether used for roof terraces, patios, function rooms, break out areas, outdoor classrooms, reception areas or pool houses.

Designed to be easily opened and closed via manual or motorised operation, structural integrity and safety of use are ensured by the SecurTrakTM low pro le rail system. The high vertical side walls, sectional modular design and roof shape options will easily integrate into most architectural designs and bring a spacious feel to your new all year round space.

Optional 24v DC photovoltaic solar cells can supply power for motorisation, ambient lighting needs and ventilation, saving on the installation of external electrics.











FreeStanding retractable systems are environmentally friendly and efficient. Insulated glazing provides good thermal insulation and the options of full or partial opening give you the control of your new micro climate in harmony with the elements of nature.

FreeStanding retractable systems are manufactured to site specific and user needs from six base models enabling the highest wind and snow loadings to be met. There are extensive door and window options to provide access and ventilation to meet the most demanding operational needs and without having to open the system.

With **FreeStanding** retractable systems, your alfresco spaces are no longer limited to being outdoor spaces only, open it and there is nothing left between you and the sky.

FreeStanding

RETRACTING OPTIONS







Model **DF**



Max Width	16m
Max Length	60m
Frames	6
Operation	Motorised or Manual
Glazing	Polycarbonate or Glass

Model **EF**



Max Width	12m
Max Length	60m
Frames	4
Operation	Motorised or Manual
Glazing	Polycarbonate or Glass

Model VF



Max Width	18m
Max Length	60m
Frames	8
Operation	Motorised or Manual
Glazing	Polycarbonate or Glass

FreeStanding

Model D7



Max Width	18m
Max Length	60m
Frames	6
Operation	Motorised or Manual
Glazing	Polycarbonate or Glass

Model E7



Max Width	14m
Max Length	60m
Frames	4
Operation	Motorised or Manual
Glazing	Polycarbonate or Glass

Model V7



Max Width	20m
Max Length	60m
Frames	8
Operation	Motorised or Manual
Glazing	Polycarbonate or Glass



Unit 7 Mitcham Industrial Estate Streatham Road Mitcham CR4 2AP

+44 (0)20 8877 3030 | breezefree.com